User Account Control Overview

Windows Application Quality Team Microsoft Corporation

User Account Control Goals

- Enable users to run with standard user rights
 - Defend against system changes
 - Reduce impact of malware
 - Defend against compromise if information,
- Keep applications working

The Standard User Problem



I am a developer, not a STANDARD user! Too many apps break as standard user. It's not worth the trouble.



Visual Studio 2005



Administrator permissions are recommended for running Visual Studio 2005 SP1

Some Visual Studio 2005 tasks and scenarios will not work without Administrator permissions. We recommend that you use 'Run as administrator' to launch Visual Studio.

Choose Check for Updates from the Help Menu to ensure you have the latest updates.

Click here to learn more about using Visual Studio on Windows Vista

✓ Always show this message

Continue

Exit Visual Studio



The UAC Solution

- Make it possible for most apps to run
- Remove excuses for running as administrator
- Encourage ISVs to develop for non-admins

UAC for Standard Users


- We fix things
- We allow you to elevate to admin

File and Registry Virtualization


- Client only
- Legacy applications only
- 32-bit applications only
- ♥ "Sticky"
- Non-elevated apps only
- Multiple copies of files
- Doesn't apply to executable files

File Virtualization

- c:\program files
- c:\programdata
- c:\windows




File Virtualization



Registry Virtualization

OHKEY_LOCAL_MACHINE\Software

Registry Virtualization



File Virtualization

demo



UAC for Administrators

- We fix things
- We let you run with fewer rights
- We let you elevate to full rights

The Split Token

- Run with fewer rights most of the time
- Conveniently elevate when you need rights
- Applies to interactive logons only

Creating the Split Token



UAC OTS Elevation

Reparented

ShellExecute(elevatedapp.exe)

CreateProcessAsUser(elevatedapp.exe)

explorer.exe

AppInfo Service

elevatedapp.exe

consent.exe


Protected Administrator

System

Administrator

UAC: OTS Dialogs







UAC Split Tokens

demo



Standard User Platform Fixes





Setup Detection

- Why is my app running elevated?
 - We think it's an installer!
- Specific Installer
- Generic Installer
- Specific Noninstaller

Setup Detection

demo




The "Standard User Quick Test"

- Run it elevated does it work?
 - If so, investigate

How Shims Work



Standard User Analyzer



SUA Mitigations

- SUA can recommend:
 - ElevateCreateProcess
 - ForceAdminAccess
 - LocalMappedObject
 - VirtualizeDeleteFile
 - VirtualizeHKCRLite
 - CorrectFilePaths
 - VirtualRegistry

ElevateCreateProcess



Symptoms ERROR_ELEVATION_REQUIRED

Fix description

Tries again, requesting elevation

ForceAdminAccess



Symptoms

Fails explicit administrator check

Fix description Lies

ForceAdminAccess Shim for IsUserAnAdmin:

return TRUE;

LocalMappedObject



Symptoms

Can't create in Global namespace

Fix description

Creates in Local namespace

VirtualizeDeleteFile



Symptoms

Can't delete files

Fix description

Pretends to delete files

VirtualizeHKCRLite



Symptoms

Can't register COM components

Fix description

Registers them per-user

VirtualizeRegisterTypeLib



Symptoms

Registering type library fails

Fix description

Registers type library per-user

SUA Mitigations

demo



UAC Manifests

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<assembly xmlns="urn:schemas-microsoft-com:asm.v1"</pre>
manifestVersion="1.0">
  <assemblyIdentity type="win32" processorArchitecture="*"
    version="1.0.0.0" name="MyApplication.exe"/>
  <description>My totally sweet Vista application</description>
  <ms_asmv2:trustInfo xmlns:ms_asmv2="urn:schemas-microsoft-</pre>
        com:asm.v2">
    <ms_asmv2:security>
      <ms asmv2:requestedPrivileges>
         <ms_asmv2:requestedExecutionLevel level="asInvoker | |</pre>
         highestAvailable || requireAdministrator"/>
      </ms_asmv2:requestedPrivileges>
    </ms_asmv2:security>
  </ms asmv2:trustInfo>
</assembly>
```

UAC Manifests

- Windows Vista: internal > external
- You didn't write code -> don't manifest
- Removes compatibility features / shims
- Omt.exe
- Visual Studio 2008 native support

Checking for Admin in Code

- IsUserAnAdmin?
- GetTokenInformation?
 - TokenElevationType:
 - Default
 - O Full
 - Limited
- Best solution: factor and manifest

Run Levels

- RequireAdministrator
- HighestAvailable
- AsInvoker

RunAsAdmin



Symptoms

Requires admin

Fix description

Prompts for elevation

RunAsHighest



Symptoms

Had both admin and standard user views

Fix description

Provides most powerful token

RunAsInvoker



Symptoms

Prompting unnecessarily

Fix description

No more prompt

SpecificInstaller



Symptoms

Not fixed as a legacy setup

Fix description

Flags it as a legacy setup

SpecificNonInstaller




Symptoms

Flagged as a legacy setup inappropriately

Fix description

No longer flagged as a legacy setup

Don't Forget Legacy CPL...



Run Level Specification

demo

Microsoft®

Your potential. Our passion.™

© 2009 Microsoft Corporation. All rights reserved. Microsoft, Windows, Windows 7 and other product names are or may be registered trademarks and/or trademarks in the U.S. and/or other countries.

The information herein is for informational purposes only and represents the current view of Microsoft Corporation as of the date of this presentation. Because Microsoft must respond to changing market conditions, it should not be interpreted to be a commitment on the part of Microsoft, and Microsoft cannot guarantee the accuracy of any information provided after the date of this presentation.

MICROSOFT MAKES NO WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, AS TO THE INFORMATION IN THIS PRESENTATION.

