



Test Lab Guide: Configure SharePoint Server 2013 in a Three-Tier Farm

This document is provided “as-is”. Information and views expressed in this document, including URL and other Internet Web site references, may change without notice. You bear the risk of using it.

Some examples depicted herein are provided for illustration only and are fictitious. No real association or connection is intended or should be inferred.

This document does not provide you with any legal rights to any intellectual property in any Microsoft product. You may copy and use this document for your internal, reference purposes.

© 2012 Microsoft Corporation. All rights reserved.

Test Lab Guide: Configure SharePoint Server 2013 in a Three-Tier Farm

Joe Davies

Microsoft Corporation

Published: March 2012

Updated: May 2013

Applies to: SharePoint Server 2013

Summary: This paper contains a brief introduction to SharePoint Server 2013 and step-by-step instructions for creating a test lab that contains a three-tier SharePoint farm that is based on the [Base Configuration test lab guide](#) and the [SQL Server 2012 test lab guide](#). It also demonstrates the facilities of a default team site. This paper does not describe how to install and configure SharePoint Server 2013 in a pilot or production environment. For more information, see [Install and deploy SharePoint 2013](#) and [Install SharePoint 2013 across multiple servers for a three-tier farm](#).

Date	Description
May 16, 2013	Updated to include links to the new overview video and Hyper-V configuration article.
February 14, 2013	Updated for SharePoint Server 2013 requirement for Windows Server 2008 R2 with Service Pack 1 and a note that SQL Server 2012 is required for the SharePoint Server 2013 Business Intelligence test lab.
November 28, 2012	Updated for the released version of SharePoint Server 2013 and with standard text, graphics, and sections.
Aug 5, 2012	Updated with standard text, links to evaluation software, instructions on using SQL Server 2008 R2 as an alternative to SQL Server 2012, and links to SharePoint Server 2013 and community resources.
July 16, 2012	Initial publication

Contents

Contents 3

Introduction 3

 Test Lab Guides 4

 In this guide..... 4

 Test lab overview 5

 Hardware and software requirements 6

Steps for Configuring the SharePoint Server 2013 Three-Tier Test Lab..... 7

 Step 1: Set up the Base Configuration Test Lab 7

 Step 2: Install and configure a new server named SQL1 7

 Step 3: Install SQL Server 2012 on SLQ1..... 8

 Step 4: Install SharePoint Server 2013 on APP1 9

 Step 5: Install and configure a new server named WFE1 12

 Step 6: Install SharePoint Server 2013 on WFE1..... 13

 Step 7: Demonstrate the Facilities of the Default Contoso Team Site 15

Snapshot the Configuration 16

Additional Resources 16

Introduction

Microsoft® SharePoint® Server 2013 makes it easy for people to work together. SharePoint Server 2013 enables you and your employees to set up web sites to share information with others, manage documents from start to finish, and publish reports to help everyone make informed decisions.

SharePoint Server 2013 has the following capabilities:

- **Sites** Provides a single infrastructure for all your business web sites. Share documents with colleagues, manage projects with partners, and publish information to customers.
- **Communities** Delivers great collaboration tools—and a single platform to manage them. Make it easy for people to share ideas and work together the way they want.
- **Composites** Offers tools and components for creating do-it-yourself business solutions. Build no-code solutions to rapidly respond to business needs.
- **Content** Makes content management easy. Set up compliance measures “behind the scenes”—with features like document types, retention polices, and automatic content sorting—and then let people work naturally in Microsoft Office.
- **Insights** Gives everyone access to the information in databases, reports, and business applications. Help people locate the information to make good decisions.

- **Search** Cuts through the clutter. A unique combination of relevance, refinement, and social cues helps people find the information and contacts they need to get their jobs done.

For more information about Microsoft SharePoint Server 2013, see the [SharePoint 2013 Product Information site](#) and [SharePoint 2013 for IT pros](#).

Test Lab Guides



Microsoft Test Lab Guides (TLGs) are a set of documents that step you through the configuration and demonstration of a Microsoft technology or product in a standardized test lab environment, which starts with a common base configuration that mimics a simplified intranet and the Internet. TLGs are designed to be modular, extensible, and stackable to configure complex, multi-product solutions. TLGs make learning about products, technologies, and solutions easier by providing that crucial hands-on, “I built it out myself” experience.

For more information, see [Test Lab Guides](http://microsoft.com/testlabguides) at <http://microsoft.com/testlabguides>.

A TLG stack is a set of dependent TLGs that, when configured from the bottom of the stack, create a meaningful test lab configuration. This TLG is at the top of the following TLG stack:



In this guide

This paper explains how to set up a test lab that is based on the [Base Configuration test lab guide](#) and the [SQL Server 2012 test lab guide](#) and how to configure SharePoint Server 2013 by using four server computers and one client computer. The resulting SharePoint Server 2013 test lab demonstrates the default configuration of SharePoint Server 2013 in a three-tier farm. This paper is the test lab guide version of the procedures that are described in [Install SharePoint 2013 across multiple servers for a three-tier farm](#).

For a short video that describes the configuration of this test lab, see the [SharePoint Server 2013 Three Tier Farm TLG overview](#).

For information about how to configure this test lab in Hyper-V, see [Hosting the SharePoint Server 2013 Three-Tier Test Lab with Windows Server 2012 Hyper-V](#).

 **Important**


The following instructions configure a SharePoint Server 2013 test lab by using the minimum number of computers. Individual computers are needed to separate services provided on the network and to clearly show the desired functionality. This configuration is neither designed to reflect best practices nor does it reflect a desired or recommended configuration for a production network. The configuration, including IP addresses and all other configuration parameters, is designed only to work on a separate test lab network. Attempting to adapt this test lab configuration to a pilot or production deployment can result in configuration or functionality issues. For information about how to deploy SharePoint Server 2013 in a pilot or production environment, see [Install and deploy SharePoint 2013](#).

Test lab overview

In this test lab, SharePoint Server 2013 functionality in a three-tier farm is deployed by using the following:

- One computer running Windows® Server® 2008 R2 Enterprise Edition with Service Pack 1 named DC1 that is configured as an intranet domain controller, Domain Name System (DNS) server, DHCP server, and enterprise root certification authority (CA).
- One intranet member server running Windows Server 2008 R2 Enterprise Edition with Service Pack 1 named SQL1 that is configured as a SQL database server.
- One intranet member server running Windows Server 2008 R2 Enterprise Edition with Service Pack 1 named APP1 that is configured as the SharePoint Server 2013 application server.
- One intranet member server running Windows Server 2008 R2 Enterprise Edition with Service Pack 1 named WFE1 that is configured as the SharePoint front-end web server.
- One member client computer running Windows 7 Enterprise or Ultimate named CLIENT1.

The SharePoint Server 2013 test lab consists of a single subnet named Corpnet (10.0.0.0/24) that simulates a private intranet. Computers on the Corpnet subnet connect by using a hub or switch. See the following figure.



Hardware and software requirements

The following are required components of the test lab:

- The product disc or files for Windows Server 2008 R2. For an evaluation copy of Windows Server 2008 R2 Enterprise Edition in download and virtual hard disk (VHD) form, see [Windows Server 2008 R2 Evaluation Free 180-Day Trial](#).
- The product disc or files for Windows 7.
- The product disc or files for Microsoft SQL Server 2012. See [SQL Server 2012 Evaluation](#) for an evaluation version of Microsoft SQL Server 2012. Alternately, the product disc or files for Microsoft SQL Server 2008 R2 with Service Pack 1. See [SQL Server 2008 R2 Trial](#) for a trial version of Microsoft SQL Server 2008 R2.
- The [product disc or files for SharePoint Server 2013](#).
- Four computers that meet the minimum hardware requirements for [Windows Server 2008 R2 Enterprise Edition](#) and [SharePoint Server 2013](#).
- One computer that meets the minimum hardware requirements for [Windows 7 Enterprise or Ultimate](#).

If the computers are being hosted in a Hyper-V-based virtualized environment, see the following topics for more information:

- [Hyper-V virtualization requirements for SharePoint 2013](#)
- [Use best practice configurations for the SharePoint 2013 virtual machines and Hyper-V environment](#)

Steps for Configuring the SharePoint Server 2013 Three-Tier Test Lab

There are seven steps to follow when setting up the SharePoint Server 2013 three-tier test lab.

1. Set up the Base Configuration test lab.
2. Install and configure a new server named SQL1.
3. Install SQL Server 2012 on SQL1.
4. Install SharePoint Server 2013 on APP1.
5. Install and configure a new server named WFE1.
6. Install SharePoint Server 2013 on WFE1.
7. Demonstrate the facilities of the default Contoso team site.



Note

You must be logged on as a member of the Domain Admins group or a member of the Administrators group on each computer to complete the tasks described in this guide. If you cannot complete a task while you are logged on with an account that is a member of the Administrators group, try performing the task while you are logged on with an account that is a member of the Domain Admins group.

The following sections provide details about how to perform these steps.

Step 1: Set up the Base Configuration Test Lab

Set up the Base Configuration test lab for the Corpnet subnet using the procedures in the “Steps for Configuring the Corpnet Subnet” section of the [Test Lab Guide: Base Configuration](#).

When you install and configure the servers in the base configuration test lab, Windows Server 2008 R2 Service Pack 1 is installed.

Step 2: Install and configure a new server named SQL1

In this procedure, you install the Windows Server 2008 R2 operating system and the latest updates on a new server named SQL1.

► To install Windows Server 2008 R2 on SQL1

1. Start the installation of Windows Server 2008 R2.
2. Follow the instructions to complete the installation, specifying Windows Server 2008 R2 Enterprise Edition (full installation), the computer name SQL1, and a strong password for the local Administrator account.
3. Once the installation completes, log on using the local Administrator account.
4. Connect SQL1 to a network that has Internet access and run Windows Update to install the latest updates for Windows Server 2008 R2, including Windows Server 2008 R2 Service Pack 1.
5. Once the updates are complete, restart SQL1 and log on as the local Administrator.
6. Connect SQL1 to the Corpnet subnet.

In this procedure, you configure the TCP/IP properties on SQL1 so that it can join the corp.contoso.com domain.

▶ **To configure the TCP/IP properties on SQL1**

1. In **Initial Configuration Tasks**, click **Configure networking**.
2. In the **Network Connections** window, right-click **Local Area Connection**, and then click **Properties**.
3. Click **Internet Protocol Version 4 (TCP/IPv4)**, and then click **Properties**.
4. Select **Use the following IP address**. In **IP address**, type **10.0.0.4**. In **Subnet mask**, type **255.255.255.0**. In **Default Gateway**, type **10.0.0.1**. In **Preferred DNS server**, type **10.0.0.1**.
5. Click **Advanced**, and then click the **DNS** tab. In **DNS suffix for this connection**, type **corp.contoso.com**, click **OK** twice, and then click **Close**.
6. Close the **Network Connections** window and leave the **Initial Configuration Tasks** window open.
7. To check name resolution and network communication between SQL1 and DC1, click **Start**, click **All Programs**, click **Accessories**, and then click **Command Prompt**.
8. In the Command Prompt window, type **ping dc1.corp.contoso.com**.
9. Verify that there are four replies from 10.0.0.1.
10. Close the Command Prompt window.

In this procedure, you join SQL1 to the corp.contoso.com domain.

▶ **To join SQL1 to the corp.contoso.com domain**

1. In **Initial Configuration Tasks**, click **Provide Computer Name and Domain**.
2. In the **System Properties** dialog box, on the **Computer Name** tab, click **Change**.
3. In **Member of**, click **Domain**, type **corp.contoso.com**, and then click **OK**.
4. When you are prompted for a user name and password, type **User1** and its password, and then click **OK**.
5. When you see a dialog box welcoming you to the corp.contoso.com domain, click **OK**.
6. When you are prompted that you must restart the computer, click **OK**.
7. On the **System Properties** dialog box, click **Close**.
8. When you are prompted to restart the computer, click **Restart Now**.
9. After the computer restarts, click **Switch User**, and then click **Other User** and log on to the CORP domain with the User1 account.
10. In **Initial Configuration Tasks**, click **Do not show this window at logon**, and then click **Close**.

Step 3: Install SQL Server 2012 on SQL1

Install and configure SQL Server 2012 on SQL1 as described in Steps 2, 3, and 4 of the [SQL Server 2012 Test Lab Guide](#), substituting SQL1 for APP1 in the instructions.

Alternately, you can use SQL Server 2008 R2. In this case, install and configure SQL Server 2008 R2 on SQL1, as described in Steps 2, 3, and 4 of the [SQL Server 2008 R2 Test Lab Guide](#), substituting SQL1 for APP1 in the instructions.

Note

If you are building out the [Business Intelligence test lab](#), you must install SQL Server 2012 on SQL1. You cannot use SQL Server 2008 R2 on SQL1.

In this procedure, you configure the inbound rule in Windows Firewall with Advanced Security to allow incoming traffic to the SQL Server service.

To configure the Windows Firewall for an inbound rule

1. On SQL1, log on using the User1 user account.
2. From the desktop, click **Start**, point to **Administrative Tools**, and then click **Windows Firewall with Advanced Security**.
3. In the tree pane, click **Inbound Rules**, right-click **Inbound Rules**, and then click **New Rule**.
4. On the Rule Type page, click **Port**, and then click **Next**.
5. On the Protocols and Ports page, type **1433-1434** in **Specific local ports**, and then click **Next**.
6. On the **Action** page, click **Next**.
7. On the **Profile** page, click **Next**.
8. On the **Name** page, type **SQL Server TCP ports** in **Name**, and then click **Finish**.

Step 4: Install SharePoint Server 2013 on APP1

In this procedure, you install the prerequisite software components for SharePoint Server 2013 on APP1.

To install the SharePoint Server 2013 prerequisite software

1. On APP1, log on using the User1 user account.
2. Connect APP1 to a network that has Internet access and configure the TCP/IP protocol on the Local Area Connection as needed. The SharePoint Server 2013 prerequisite installer must download and install components from the Microsoft Download Center. For example, if the network that has access to the Internet uses DHCP, configure the Internet Protocol version 4 (TCP/IPv4) component from the properties of the Local Area Connection in the Network Connections folder to use automatic addressing and to automatically configure a DNS server.
3. On APP1, navigate to the location that contains the SharePoint Server 2013 installation files and double-click **default.hta**.
4. On the **SharePoint 2013** page, click **Install software prerequisites**.
5. On the **Welcome to the Microsoft SharePoint Products Preparation Tool** page, click **Next**.
6. On the **License Terms for software product** page, review the terms, select the **I accept the terms of the License Agreement(s)** check box, and then click **Next**.

7. On the **Installation Complete** page, click **Finish**.

The computer might restart to install some of the prerequisites. After it does the Products Preparation Tool will run again and install the remaining prerequisites. The computer must be restarted again to install these prerequisites.

8. On the **Installation Complete** page, click **Finish**.

In this procedure, you prepare DC1 and SQL1 for the installation of SharePoint Server 2013 on APP1.

▶ To prepare DC1 and SQL1

1. On DC1, click **Start**, point to **Administrative Tools**, and then click **Active Directory Users and Computers**.
2. In the console tree, open **corp.contoso.com**, right-click **Users**, point to **New**, and then click **User**.
3. In the **New Object - User** dialog box, in **Full name**, type **SPFarmAdmin**, and in **User logon name**, type **SPFarmAdmin**.
4. Click **Next**.
5. In **Password** and in **Confirm password**, type **P@ssword1**.
6. Clear **User must change password at next logon**.
7. Click **Next**, and then click **Finish**.
8. On SQL1, log on with the User1 account.
9. Click **Start**, click **All Programs**, click **Microsoft SQL Server 2012**, and then click **SQL Server Management Studio**.
10. In **Connect to Server**, click **Connect**.
11. In **SQL Server Management Studio**, in the tree pane, open **Security**.
12. Right-click **Logins**, and click **New Login**.
13. In **Login - New**, type **CORP\SPFarmAdmin** in **Login name**.
14. In the **Select a page** pane, click **Server Roles**.
15. In the **Server Roles** pane, select **dbcreator**, and then click **OK**.
16. Close **SQL Server Management Studio**.

In this procedure, you install SharePoint Server 2013 on APP1.

▶ To install SharePoint Server 2013

1. Connect APP1 to the Corpnetsubnet and configure the TCP/IP protocol on the Local Area Connection as needed. For example, configure the Internet Protocol version 4 (TCP/IPv4) component from the properties of the Local Area Connection in the Network Connections folder to use the address 10.0.0.3 with a subnet mask of 255.255.255.0 and the preferred DNS server of 10.0.0.1.
2. Click the **Server Manager** icon. In **Security Information**, click **Configure IE ESC**.

3. In the **Internet Explorer Enhanced Security Configuration** dialog box, click **Off** in **Administrators**, click **Off** in **Users**, and then click **OK**.
4. Close **Server Manager**.
5. Navigate to the location that contains the SharePoint Server 2013 installation files and double-click **default.hta**.
6. On the **SharePoint 2013** page, click **Install SharePoint Server**.
7. On the **Enter Your Product Key** page, enter your product key as needed, and then click **Continue**. For the 180-day trial version of SharePoint Server 2013, use the product key NQTMW-K63MQ-39G6H-B2CH9-FRDWJ.
8. On the **Read the Microsoft Software License Terms** page, review the terms, select the **I accept the terms of this agreement** check box, and then click **Continue**.
9. On the **Server Type** tab, click **Complete**, and then click **Install Now**.
10. When Setup finishes, a dialog box prompts you to complete the configuration of your server. Ensure that the **Run the SharePoint Products and Technologies Configuration Wizard now** check box is selected, and then click **Close** to start the configuration wizard.
11. On the **Welcome to SharePoint Products** page, click **Next**.
12. In the dialog box that notifies you that some services might need to be restarted during configuration, click **Yes**.
13. On the **Connect to a server farm** page, click **Create a new server farm**, and then click **Next**.
14. On the **Specify Configuration Database Settings** page, type **sql1.corp.contoso.com** in **Database server**, type **CORP\SPFarmAdmin** in **User name**, type **P@ssword1** in **Password**, and then click **Next**.
15. On the **Specify Farm Security Settings** page, type **P@ssphrase** in both **Passphrase** and **Confirm passphrase**, and then click **Next**.
16. On the **Configure SharePoint Central Administration Web Application** page, click **Next**.
17. On the **Completing the SharePoint Products Configuration Wizard** page, click **Next**.
18. On the **Configuration Successful** page, click **Finish**. Internet Explorer launches with a tab named Initial Farm Configuration Wizard.
19. In the **Help Make SharePoint Better** dialog box, click **No, I don't wish to participate**, and then click **OK**.
20. For **How do you want to configure your SharePoint farm?**, click **Start the Wizard**.
21. On the **Configure your SharePoint farm** page, in **Service account**, click **Use existing managed account**.
22. In **Services**, clear all the check boxes except the box next to **State Service**, and then click **Next**. The **Working on it** page might display for a while before it completes.
23. On the **Create Site Collection** page, click **Skip**.
24. On the **This completes the Farm Configuration Wizard** page, click **Finish**. The Internet Explorer tab shows the SharePoint 2013 Central Administration site.
25. From Central Administration, click **Configure alternate access mappings** under **System Settings**.

26. Click the **http://app1** internal URL.
27. In **URL, protocol, host and port**, type **http://wfe1/**, click **OK**, and then click **Central Administration**.

Step 5: Install and configure a new server named WFE1

In this procedure, you install the Windows Server 2008 R2 operating system and the latest updates on a new server named WFE1.

► To install Windows Server 2008 R2 on WFE1

1. Start the installation of Windows Server 2008 R2.
2. Follow the instructions to complete the installation, specifying Windows Server 2008 R2 Enterprise Edition (full installation), the computer name WFE1, and a strong password for the local Administrator account.
3. Once the installation completes, log on using the local Administrator account.
4. Connect WFE1 to a network that has Internet access and run Windows Update to install the latest updates for Windows Server 2008 R2, including Windows Server 2008 R2 Service Pack 1.
5. Once the updates are complete, restart WFE1 and log on as the local Administrator.
6. Connect WFE1 to the CorpNet subnet.

In this procedure, you configure the TCP/IP properties on WFE1 so that it can join the corp.contoso.com domain.

► To configure the TCP/IP properties on WFE1

1. In **Initial Configuration Tasks**, click **Configure networking**.
2. In the **Network Connections** window, right-click **Local Area Connection**, and then click **Properties**.
3. Click **Internet Protocol Version 4 (TCP/IPv4)**, and then click **Properties**.
4. Select **Use the following IP address**. In **IP address**, type **10.0.0.5**. In **Subnet mask**, type **255.255.255.0**. In **Default Gateway**, type **10.0.0.1**. In **Preferred DNS server**, type **10.0.0.1**.
5. Click **Advanced**, and then click the **DNS** tab. In **DNS suffix for this connection**, type **corp.contoso.com**, click **OK** twice, and then click **Close**.
6. Close the **Network Connections** window and leave the **Initial Configuration Tasks** window open.
7. To check name resolution and network communication between WFE1 and DC1, click **Start**, click **All Programs**, click **Accessories**, and then click **Command Prompt**.
8. In the Command Prompt window, type **ping dc1.corp.contoso.com**.
9. Verify that there are four replies from 10.0.0.1.
10. Close the Command Prompt window.

In this procedure, you join WFE1 to the corp.contoso.com domain.

▶ To join WFE1 to the corp.contoso.com domain

1. In **Initial Configuration Tasks**, click **Provide Computer Name and Domain**.
2. In the **System Properties** dialog box, on the **Computer Name** tab, click **Change**.
3. In **Member of**, click **Domain**, type **corp.contoso.com**, and then click **OK**.
4. When you are prompted for a user name and password, type **User1** and its password, and then click **OK**.
5. When you see a dialog box welcoming you to the corp.contoso.com domain, click **OK**.
6. When you are prompted that you must restart the computer, click **OK**.
7. On the **System Properties** dialog box, click **Close**.
8. When you are prompted to restart the computer, click **Restart Now**.
9. After the computer restarts, click **Switch User**, and then click **Other User** and log on to the CORP domain with the User1 account.
10. In **Initial Configuration Tasks**, click **Do not show this window at logon**, and then click **Close**.

In this procedure, you install the Web Server (IIS) server role on WFE1.

▶ To install the Web Server (IIS) server role on WFE1

1. In the console tree of Server Manager, click **Roles**. In the details pane, click **Add Roles**, and then click **Next**.
2. On the **Select Server Roles** page, select **Web Server (IIS)**, and then click **Next** three times.
3. Click **Install**.
4. Verify that the installation was successful, and then click **Close**.

Step 6: Install SharePoint Server 2013 on WFE1

In this procedure, you install the prerequisite software components for SharePoint Server 2013 on WFE1.

▶ To install the SharePoint Server 2013 prerequisite software

1. On WFE1, log on using the User1 user account.
2. Click the **Server Manager** icon. In **Security Information**, click **Configure IE ESC**.
3. In the **Internet Explorer Enhanced Security Configuration** dialog box, click **Off** in **Administrators**, click **Off** in **Users**, and then click **OK**.
4. Close **Server Manager**.
5. Connect WFE1 to a network that has Internet access and configure the TCP/IP protocol on the Local Area Connection as needed. The SharePoint Server 2013 prerequisite installer must download and install components from the Microsoft Download Center. For example, if the network that has access to the Internet uses DHCP, configure the Internet Protocol version 4 (TCP/IPv4) component from the properties of the Local Area Connection in the Network Connections folder to use automatic addressing and to automatically configure a DNS server.

6. On WFE1, navigate to the drive or folder that contains the SharePoint Server 2013 installation files and double-click **default.hta**.
7. On the **SharePoint Server 2013 Start** page, click **Install software prerequisites**.
8. On the Welcome to the Microsoft SharePoint 2013 Products Preparation Tool page, click **Next**.
9. On the **License Terms for software product** page, review the terms, select the **I accept the terms of the License Agreement(s)** check box, and then click **Next**.
10. On the **Installation Complete** page, click **Finish**.
11. The computer might restart to install some of the prerequisites. After it does the Products Preparation Tool will run again and install the remaining prerequisites. The computer must be restarted again to install these prerequisites.
12. On the **Installation Complete** page, click **Finish**.

In this procedure, you install SharePoint Server 2013 on WFE1 and join the existing SharePoint farm.

To install SharePoint Server 2013

1. Connect WFE1 to the Corpnet subnet and configure the TCP/IP protocol on the Local Area Connection as needed. For example, configure the Internet Protocol version 4 (TCP/IPv4) component from the properties of the Local Area Connection in the Network Connections folder to use the address 10.0.0.5 with a subnet mask of 255.255.255.0 and the preferred DNS server of 10.0.0.1.
2. On the **SharePoint Server 2013 Start** page, click **Install SharePoint Server**.
3. On the **Enter Your Product Key** page, enter your product key as needed, and then click **Continue**. For the 180-day trial version of SharePoint Server 2013, use the product key NQTMW-K63MQ-39G6H-B2CH9-FRDWJ.
4. On the **Read the Microsoft Software License Terms** page, review the terms, select the **I accept the terms of this agreement** check box, and then click **Continue**.
5. On the **Server Type** tab, click **Complete**, and then click **Install Now**.
6. When Setup finishes, a dialog box prompts you to complete the configuration of your server. Ensure that the **Run the SharePoint Products and Technologies Configuration Wizard now** check box is selected.
7. Click **Close** to start the configuration wizard.
8. On the **Welcome to SharePoint Products** page, click **Next**.
9. In the dialog box that notifies you that some services might need to be restarted during configuration, click **Yes**.
10. On the **Connect to a server farm** page, click **Connect to an existing server farm**, and then click **Next**.
11. On the **Specify Configuration Database Settings** page, type **sql1.corp.contoso.com** in **Database server**, and then click **Retrieve Database Names**.
12. Click **SharePoint_Config** in the **Database name** list, and then click **Next**.
13. On the **Specify Farm Security Settings** page, type **P@ssphrase** in **Passphrase**, and then click **Next**.

14. On the **Completing the SharePoint Products Configuration Wizard** page, click **Next**.
15. On the **Configuration Successful** page, click **Finish**. The Internet Explorer tab shows the SharePoint 2013 Central Administration site. Leave Internet Explorer open.
16. On APP1, in the Internet Explorer window for SharePoint Central Administration, in **System Settings**, click **Manage servers in this farm** and verify that WFE1 is part of the farm.
17. On WFE1, from Internet Explorer and the Central Administration tab, for **How do you want to configure your SharePoint farm?**, click **Start the Wizard**. The **Working on it** page might display for a while before it completes and you might have to start the wizard again.
18. On the **Configure your SharePoint farm** page, click **Next**.
19. On the **Create Site Collection** page, in **Title and description**, type **Contoso Corporation** in **Title**, from the URL list select **"/"**, and then click **OK**.
This step creates a team site at the URL `http://wfe1`.
20. On the **This completes the Farm Configuration Wizard** page, click **Finish**.
The Internet Explorer tab shows the SharePoint 2013 Central Administration site, from which you can configure and manage the SharePoint server.

Step 7: Demonstrate the Facilities of the Default Contoso Team Site

In this procedure, you click through the default SharePoint facilities and resources for the Contoso Corporation team site at `http://wfe1/`.

► To see the facilities of the default Contoso Corporation team site

1. Attach CLIENT1 to the Corpnetsubnet, and then log on with the User1 account.
2. Start Internet Explorer on CLIENT1.
3. In the Address bar, type **`http://wfe1/`** and then press ENTER.
You should see a SharePoint team site for the Contoso Corporation. The site might take a while to render.
4. To add a new page to the site, click **Site Contents** on the Quick Launch, click the **Site Pages** icon, and then click **New wiki page**.
5. In **New page item** box, type the name of the page, and click **Create**.
6. Type the new page contents, and then click **Save**.
7. Click **Home** on the Quick Launch to return to the home page of the Contoso Corporation team site.
8. To add a site to the site collection, click **Site Contents** on the Quick Launch, and then click **New subsite**.
9. In **New SharePoint Site**, configure the title, description, web site address, template, permissions and navigation settings, and then click **Create**.
10. On the **Home** page of the Contoso Corporation site, click **Documents** on the Quick Launch or **Documents** below the **Get started with your site** section.

This is a list of shared documents that you can work on together. Multiple users can work on each document in a central location, which makes document collaboration much easier than sending files around in email. You can click **New document** to add a new document to the list of shared documents.

11. Click **Home** on the Quick Launch.

12. In the **Get started with your site** section, click **Working on a deadline?**

13. In the **Working on a deadline** dialog box, click **Add Them** to add the Calendar and Tasks apps to your site.

14. To access the calendar, click **Calendar** on the Quick Launch.

This is a shared team calendar that can be used to manage and share events across your team. You can point to a day and then click **Add** to add a calendar event.

15. Click **Home** on the Quick Launch.

16. To access the task list, click **Tasks** on the Quick Launch.

This is a shared team task list that can be used to manage and share tasks across your team. You can click **New task** to add a task.

Snapshot the Configuration

This completes the SharePoint Server 2013 three-tier test lab. To save this configuration so that you can quickly return to a working configuration from which you can test other SharePoint TLGs or test lab extensions or for your own experimentation and learning, do the following:

1. On all physical computers or virtual machines in the test lab, close all windows and then perform a graceful shutdown.
2. If your lab is based on virtual machines, save a snapshot of each virtual machine and name the snapshots **SP2013ThreeTier**. If your lab uses physical computers, create disk images to save the SharePoint Server 2013 three-tier test lab configuration.

Additional Resources

For more information about SharePoint Server 2013, see the [SharePoint 2013 product information web page](#) and [SharePoint 2013 for IT pros](#).

To provide the authors of this guide with feedback or suggestions for improvement, send an email message to itspdocs@microsoft.com.

To submit your questions about this test lab or SharePoint 2013, see the [SharePoint 2013 for IT Professionals Forum](#).

For a list of TLGs related to this test lab or extensions to demonstrate additional functionality, see [SharePoint Server 2013 Test Lab](#) in the TechNet Wiki.

Microsoft strongly encourages you to develop and publish your own TLG content for SharePoint Server 2013. For example, you can publish in the TechNet Wiki (example: [Test Lab Guide: Demonstrate Remote Access VPNs](#)) or in your own publishing forum (example: [Test Lab Guide \(Part 1\) - Demonstrate TMG PPTP, L2TP/IPsec and SSTP Remote Access VPN Server](#)). See [Wiki: Creating and Publishing Test Lab Guide Content](#) for information about the types of content you can create and for links to guidance, templates, and examples. To publish your TLG content in

the TechNet wiki, see the [How to contribute series of TLG blog posts](#) for information about the types of content you can create and for links to templates and guidance.

For a list of additional Microsoft TLGs, see [Test Lab Guides](#) in the TechNet Wiki.